

EXHIBIT NO. 6

MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 6-3-09

Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMT			
SOURCE 5 - BTX LIGHT OIL STORAGE TANKS 2-42,000 GALLONS			
No.	Inspection Section	Comments	Corrective Action
✓	Any visible oil residue or leakage from the storage tanks?		
✓	All transfer pipes properly labeled?		
✓	Any visible spills, residue, or leakage in containment areas (including sheen)?		
✓	Is there any leakage around fittings?		
✓	Is there any leakage around piping?		
✓	Any standing water in containment?	Small AMT from RAW	
OTHER OBSERVATIONS:			
Inspected by: <u>Bill Osborn</u>			
Printed Name			
Signature: <u>[Signature]</u>			

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 7-23-09

Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 16 - Process Areas, Process Equipment				
Yes	No	Inspection Section	Comments	Corrective Action
	✓	Any visible oil residue or leakage from the process equipment?		
✓		All transfer pipes properly labeled?		
	✓	Any visible spills, residue, or leakage in containment areas?		
	✓	Is there any leakage around fittings?		
	✓	Is there any leakage around piping?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name Signature: <u>[Signature]</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6

MONTHLY SPCC INSPECTION CHECKLIST

 Inspection Date: 7-23-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 5 - BTX Light Oil Storage Tanks, 2-42,000 gallon tanks				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>[Signature]</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 7-23-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 4 - Ammonia Separator Tank, 107,000 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	✓	Any visible oil residue or leakage from the storage tanks?		
✓		All transfer pipes properly labeled?		
	✓	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	✓	Is there any leakage around fittings?		
	✓	Is there any leakage around piping?		
	✓	Any standing water in containment?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>BO</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 7-23-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 2: Oil Tank Storage Tanks 174,000 gallons 230,000 gallons Caustic Storage Tank 9,400 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>RO</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 7-23-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 1 - Ammonia Liquid Storage Tanks #1 - 3 250,000 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
<p>Inspected by: <u>Bill Osborn</u> Printed Name</p> <p>Signature: <u>[Signature]</u></p>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6

MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 8-18-09

Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 16 - Process Areas, Process Equipment				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the process equipment?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Signature: <u>[Signature]</u> Printed Name				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6

MONTHLY SPCC INSPECTION CHECKLIST

 Inspection Date: 8-18-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 5 - BTLX Light Oil Storage Tanks, 2-42,000 gallon tanks.				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>BO</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 8-18-07 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 2 - Oil Tank Storage Tanks 174,000 gallons 230,000 gallons - Caustic Storage Tank 9,400 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>[Signature]</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 8-18-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 1 - Ammonia Liquor Storage Tanks #1, 2, 250,000 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>BO</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 9-25-09

Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 16 - Process Areas Process Equipment				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the process equipment?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
OTHER OBSERVATIONS:				
<p>Inspected by: <u>Bill Osborn</u> Printed Name</p> <p>Signature: <u>[Signature]</u></p>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6

MONTHLY SPCC INSPECTION CHECKLIST

 Inspection Date: 8-25-07 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 5 - BTX Light Oil Storage Tanks, 2-42,000 gallon tanks				
Yes	No	Inspection Section	Comments	Corrective Action
	✓	Any visible oil residue or leakage from the storage tanks?		
✓		All transfer pipes properly labeled?		
	✓	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	✓	Is there any leakage around fittings?		
	✓	Is there any leakage around piping?		
	✓	Any standing water in containment?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> <div style="text-align: right;">Printed Name</div>				
Signature: <u>[Signature]</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 9-25-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 2 - Coal Tar Storage Tanks 174,000 gallons 250,000 gallons - Caustic Storage Tank 9,400 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>BO</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 9-25-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 1 - Ammonia Liquor Storage Tanks #1, 2-250,000 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>[Signature]</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 10-27-07

Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 16 - Process Areas, Process Equipment				
Yes	No	Inspection Section	Comments	Corrective Action
	✓	Any visible oil residue or leakage from the process equipment?		
✓		All transfer pipes properly labeled?		
	✓	Any visible spills, residue, or leakage in containment areas?		
	✓	Is there any leakage around fittings?		
	✓	Is there any leakage around piping?		
OTHER OBSERVATIONS:				
<p>Inspected by: <u>B. H. Osborn</u> Printed Name</p> <p>Signature: <u>[Signature]</u></p>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

EXHIBIT NO. 6

MONTHLY SPCC INSPECTION CHECKLIST

Inspection Date: 10-27-07

Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP

Source 5- BTX Light Oil Storage Tanks, 2-42,000 gallon tanks

Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		

OTHER OBSERVATIONS:

Inspected by: Bill Osborn

Printed Name

Signature: BO


On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 10-27-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 3 - Anhydrous Liquor Storage Tank #2 - 70,000 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
OTHER OBSERVATIONS:				
<p>Inspected by: <u>B. H. Osborn</u> <div style="text-align: right;">Printed Name</div> </p> <p>Signature: <u></u></p>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 10-27-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 2 - Oil Tank Storage Tanks 174,000 gallons 230,000 gallons - Caustic Storage Tank 9,400 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
Inspected by: <u>Bill Osborn</u> Printed Name				
Signature: <u>[Signature]</u>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 10-27-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 1 - Ammonia Liquor Storage Tanks #1 & 2 250,000 gallons				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas (including sheen)?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
	<input checked="" type="checkbox"/>	Any standing water in containment?		
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the storage tanks?		
OTHER OBSERVATIONS:				
<p>Inspected by: <u>B. H. Osborn</u> Printed Name</p> <p>Signature: <u>RC</u></p>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.

**EXHIBIT NO. 6
MONTHLY SPCC INSPECTION CHECKLIST**

Inspection Date: 11-17-09 Inspection Time: _____ am/pm

INSPECTION FOR SPCC/BMP				
Source 16 - Process Areas, Process Equipment				
Yes	No	Inspection Section	Comments	Corrective Action
	<input checked="" type="checkbox"/>	Any visible oil residue or leakage from the process equipment?		
<input checked="" type="checkbox"/>		All transfer pipes properly labeled?		
	<input checked="" type="checkbox"/>	Any visible spills, residue, or leakage in containment areas?		
	<input checked="" type="checkbox"/>	Is there any leakage around fittings?		
	<input checked="" type="checkbox"/>	Is there any leakage around piping?		
OTHER OBSERVATIONS:				
<div> <div>Inspected by: <u>Bill Osborn</u></div> <div>Printed Name</div> </div> <div> <div>Signature: <u>[Signature]</u></div> </div>				

On a monthly basis, the Plant Manager or his appropriate designee shall visually inspect the potential pollution sources, potential pollution areas, secondary containment, etc., for any changes and problems since the previous inspection. The inspection should include, at a minimum, observations to identify any evidence of the following:

1. Signs of leakage or deterioration (rust, cracks, dents, bulges, etc);
2. Improper positioning of drums;
3. Oil spills in truck unloading areas;
4. Oil spills in equipment areas;
5. Improper housekeeping activities.

All problems and questionable conditions shall be noted on the inspection form and immediately reported to the Environmental Manager. All necessary corrective action shall be undertaken in a timely manner and shall be recorded. All inspection record shall be maintained for a minimum of three years.